7 17	
AD	

Award Number: DAMD17-02-2-0048

TITLE: Monitoring and Mining Data Streams

PRINCIPAL INVESTIGATOR: Stanley B. Zdonik, Ph.D.

CONTRACTING ORGANIZATION: Brown University

Providence, Rhode Island 02912

REPORT DATE: October 2004

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

# 20050407 159

# REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of

1. AGENCY USE ONLY		0 050005 51455 4415 5					
(Leave blank)	2. REPORT DATE October 2004	3. REPORT TYPE AND DA					
11 Sep 2004/							
Monitoring and Mining Data Streams			FUNDING NUMBERS AMD17-02-2-0048				
Instituting and mining baca beleams							
6. AUTHOR(S)							
Stanley B. Zdonik, Ph.D.							
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)			PERFORMING ORGANIZATION				
Brown University			REPORT NUMBER				
Providence, Rhode Isla	nd 02912						
F.MW							
E-Mail: sbz@cs.brown.ed	u						
9. SPONSORING / MONITORING		10	D. SPONSORING / MONITORING				
AGENCY NAME(S) AND ADDRI			AGENCY REPORT NUMBER				
U.S. Army Medical Research and Materiel Command							
Fort Detrick, Maryland	21702-5012						
11. SUPPLEMENTARY NOTES							
00.7 22.002.07,007.20							
12a. DISTRIBUTION / AVAILABILIT	12b. DISTRIBUTION CODE						
Approved for Public Release; Distribution Unlimited			123. DIOTHIDOTICIA CODE				
			· ·				
13. ABSTRACT (Maximum 200 Wo	ordal						
		is niece was only	received 6 months ago. We				
have so far managed to	complete a revision of	the Borealis code	received 6 months ago. We shase making it much more				
usable for general app	lications. We have work	ed closely with p	ersonnel from USARTEM to				
usable for general applications. We have worked closely with personnel from USARIEM to identify special processing needs for PAN's in a WPSM setting and have redesigned major							
portions of the Boreal	is code base to reflect	this. It takes a	portions of the Borealis code base to reflect this. It takes a novel position with				
respect to dealing wit	respect to dealing with failure in a sensor network.						
		etwork.					
		etwork.					
		etwork.					
		etwork.					
		etwork.					
·		etwork.					
·		etwork.					
·		etwork.					
		etwork.					
·		etwork.					
14. SUBJECT TERMS		etwork.	15. NUMBER OF PAGES				
14. SUBJECT TERMS No subject terms provi		etwork.					
		etwork.	15. NUMBER OF PAGES 6				
No subject terms provi	ded.		15. NUMBER OF PAGES 6 16. PRICE CODE				
No subject terms provi  17. SECURITY CLASSIFICATION	ded.  18. SECURITY CLASSIFICATION	19. SECURITY CLASSIFICA	15. NUMBER OF PAGES 6 16. PRICE CODE				
No subject terms provi	ded.		15. NUMBER OF PAGES 6 16. PRICE CODE ATION 20. LIMITATION OF ABSTRACT				

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. Z39-18 298-102

# **Table of Contents**

Cover1
SF 2982
Table of Contents3
Introduction4
Body4
Key Research Accomplishments5
Reportable Outcomes6
Conclusions6
References6
Appendices

### INTRODUCTION

This work is preliminary since funding for this piece was only received 6 months ago. We have so far managed to complete a revision of the Borealis code base making it much more useable for general applications. We have worked closely with personnel from USARIEM to identify special processing needs for PAN's in a WPSM setting and have redesigned major portions of the Borealis code base to reflect this. It takes a novel position with respect to dealing with failure in a sensor network.

### **BODY**

## **Distributed Stream Processing and Sensors**

The Aurora stream processing engine was a very valuable exercise to gain understanding about the basic technical questions that must be addressed by any stream processing engine. These issues included memory management, tuple scheduling, and load control. Aurora was designed to run on a single server, and its primary optimization goal was low-latency processing. This set of assumptions was chosen because it gave us the best opportunity to study the fundamentals, and it was useful for a large class of monitoring applications.

We have been designing a new architecture for the Borealis stream processor that more closely matches the requirements of sensor processing. In particular, Borealis addresses distributed operation as well as optimization for power consumption and bandwidth.

In the case of distributed operation, we are addressing the issues of automatic load balancing and fault-tolerance. In this setting, load is imposed by the network of operators that is processing a set of input streams. Thus, load balancing consists of algorithms for moving operators from one computing node to another, while the system is running. Fault tolerance takes several forms. In its more classic form, it supports redundant computing elements that are synchronized in such a way that a primary node can "fail over" to a secondary node when a failure is detected. To date no one has adapted high-availability algorithms to operate efficiently in a streaming context. We have done that and have published a paper [HBR05] on the topic.

Classic high-availability is too strong a guarantee for many sensor-based environments. Instead, an approach that adapts to failures by trading accuracy or confidence for continued operation is more appropriate. For example, in a sensor-based environment, it is more reasonable to react to a failure by perhaps reducing the accuracy of the results. Of course, a good adaptive algorithm will minimize the loss in confidence by using its resources intelligently. We have written and published a paper [TBH05] on this topic jointly with folks from USARIEM.

We have been working with scientists at the Army Soldier Systems Labs in Natick, MA on a problem of sensor network data management. The goal is to find a way to fit the

WPSM problem into the Borealis framework. In order to do this, some extensions are required to the Borealis architecture.

In particular, we have come up with a way of capturing multiple processing models for a given physiological state. The system will select which processing model to use, based on the availability of inputs. It will also adjust sampling rates (for sensors that can do so) dynamically in order to place the confidence in an acceptable range.

## **Borealis Development Progress**

We have put some effort into improving the infrastructure of the Borealis code base. The installation and build processes have been enhanced and documented to make them easier to learn and use. The source code directory tree has been restructured to make the code base extensible and to optionally build modules. I upgraded the code to work with the latest versions of external code packages and tools.

Scripts have been written to access the revision control system. They are easier to use than raw commands and are more reliable as they detect collisions that occur when multiple developers are working on the same module.

Borealis has been changed to remove many hardware dependencies. Portable schema types were introduced for use by Borealis applications. To make the system source code itself more portable, machine independent data types have been declared and code has been modified to use them.

A design and development effort is underway to provide a new programming interface for applications. The new XML-based interface will accommodate new features and will be much easier to use than the current interface. The goal is to provide the tools and documentation to enable end users to write Borealis applications with a minimum of effort. A distributed catalog is also in the design phase. It will replace the current central catalog so that it will scale up for multiple processors.

A website for developers has been created to disseminate information that on Borealis development issues and to exchange details about ongoing projects. The website is located at:

http://www.cs.brown.edu/research/borealis/developer/

## KEY RESEARCH ACCOMPLISHMENTS

- A redesign of the Aurora stream processing engine (now called Borealis) to manage complex resources in a distributed environment.
- A new theory of how to do confidence-based resource management in a failureprone environment.

 A simulator to assist USARIEM in understanding various parameterizations of their wireless PAN.

## REPORTABLE OUTCOMES

- A simple, demo-able version of Borealis
- A well-received demo of Borealis at this year's SIGMOD, the most prestigious database conference.
- Helpful feedback to USARIEM.

## **CONCLUSIONS**

So far, we have been very successful at producing a novel infrastructure for distributed stream processing. We are in the process of fitting it into a sensor-based environment at USARIEM. The system will be able manage power consumption and bandwidth utilization automatically. It will tradeoff accuracy (confidence) with the use of resources.

#### REFERENCES

[AAB05] "Design Issues for Second Generation Stream Processing Engines", (D. Abadi, Y. Ahmad, M. Balazinska, U. Cetintemel, M. Cherniack, J. Hwang, W. Lindner, A. Maskey, N. Tatbul, Y. Xing, S. Zdonik), *Proceedings of the Conference for Innovative Database Research (CIDR)*, Asilomar, CA, January, 2005.

[BBC04] "Retrospective on Aurora", (H. Balakrishnan, M. Balazinska, D. Carney, U. Cetintemel, M. Cherniack, C. Convey, E. Galvez, J. Salz, M. Stonebraker, N. Tatbul, R. Tibbetts, S. Zdonik), *VLDB Journal: Special Issue on Data Stream Processing*, 2004. *To appear*.

[HBR05] "High-Availability Algorithms for Distributed Stream Processing", (J. Hwang, M. Balazinska, A. Rasin, U. Cetintemel, M. Stonebraker, S. Zdonik), *Proceedings of the International Conference on Data Engineering* (ICDE), Tokyo, Japan, April, 2005.

[TBH05] "Confidence-based Data Management for Personal Area Sensor Networks", (N. Tatbul, M. Buller, R. Hoyt, S. Mullen, S. Zdonik), *International Workshop on Data Management for Sensor Networks (DMSN'04)*, Toronto, Canada, August 2004.

[XZH05] "Dynamic Load Distribution in the Borealis Stream Processor", (Y. Xing, S. Zdonik, and J. Hwang), *Proceedings of the International Conference on Data Engineering* (ICDE), Tokyo, Japan, April, 2005.